








Crealco Elite Sliding Window - Noddy Guides & Limitation Chart 1000 Pa Windload



NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.

O = Fixed Panel
X = Sliding Panel



1 = Die No. W55168
ix = 2.059

2 = Die No. W55167
ix = 9.086



INTERLOCKERS








Crealco Elite Sliding Window - Noddy Guides & Limitation Chart

1500 Pa Windload



NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.

O = Fixed Panel
X = Sliding Panel



1 = Die No. W55168
ix = 2.059

2 = Die No. W55167
ix = 9.086









INTERLOCKERS

Crealco Elite Sliding Window - Noddy Guides & Limitation Chart 2000 Pa Windload



NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.

O = Fixed Panel
X = Sliding Panel



INTERLOCKERS



1 = Die No. W55168
ix = 2.059

2 = Die No. W55167
ix = 9.086



Crealco Elite Sliding Window - Noddy Guides









Limitation Chart

1000 Pa Windload




NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.

O = Fixed Panel
X = Sliding Panel



1 = INTERLOCKER
2 = HEAVY DUTY INTERLOCKER

INTERLOCKERS



$I_x = 15.83 \text{ cm}^4$

MEETING STILES









Crealco Elite Sliding Window - Noddy Guides & Limitation Chart

1500 Pa Windload




NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.

O = Fixed Panel
X = Sliding Panel



1 = INTERLOCKER
2 = HEAVY DUTY INTERLOCKER

INTERLOCKERS










$I_x = 15.83 \text{ cm}^4$

MEETING STILES

Crealco Elite Sliding Window - Noddy Guides & Limitation Chart 2000 Pa Windload




NOTE: 1. Opening sizes shown in red.
2. Actual door sizes shown in black.



1 = INTERLOCKER
2 = HEAVY DUTY INTERLOCKER

INTERLOCKERS



$I_x = 15.83 \text{ cm}^4$

MEETING STILES