


Casement 340 Windows Standard Top Hung (600 Pa Windload)




- NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

	600 (590)	900 (890)	1 200 (1 190)	1 500 (1 490)	1 800 (1 790)	2 400 (2 390)
600 (590)	 340 -0606T	 340 -0906T	 340 -1206T	 340 -1506T	 340 -1806TT	 340 -2406TT
900 (890)	 340 -0609T	 340 -0909T	 340 -1209T	 340 -1509T	 340 -1809TT	 340 -2409TT
1 200 (1 190)	 340 -0612T	 340 -0912T	 340 -1212DT	 340 -1512DT	 340 -1812DT	 340 -2412DT
1 500 (1 490)	 340 -0615DT	 340 -0915DT	 340 -1215DT	 340 -1515DT	 340 -1815DT	 340 -2415DT
1 800 (1 790)	 340 -0618DT	 340 -0918DT	 340 -1218DT	 340 -1518DT	 340 -1818DT	 340 -2418DT


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 1 200 Max
HEIGHT: 900 Max

Revision : 01/03/2007


Casement 340 Windows Standard Top Hung (1 000 Pa Windload)




- NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

	600 (590)	900 (890)	1 200 (1 190)	1 500 (1 490)	1 800 (1 790)	2 400 (2 390)
600 (590)	 340 -0606T	 340 -0906T	 340 -1206T	 340 -1506T	 340 -1806TT	 340 -2406TT
900 (890)	 340 -0609T	 340 -0909T	 340 -1209T	 340 -1509T	 340 -1809TT	 340 -2409TT
1 200 (1 190)	 340 -0612T	 340 -0912T	 340 -1212DT	 340 -1512DT	 340 -1812DT	 340 -2412DT
1 500 (1 490)	 340 -0615DT	 340 -0915DT	 340 -1215DT	 340 -1515DT	 340 -1815DT	 340 -2415DT
1 800 (1 790)	 340 -0618DT	 340 -0918DT	 340 -1218DT	 340 -1518DT	 340 -1818DT	 340 -2418DT


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 1 200 Max
HEIGHT: 900 Max

Revision : 01/03/2007


Casement 340 Windows Standard Top Hung (1 500 Pa Windload)




- NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

	600 (590)	900 (890)	1 200 (1 190)	1 500 (1 490)	1 800 (1 790)	2 400 (2 390)
600 (590)	 340 -0606T	 340 -0906T	 340 -1206T	 340 -1506T	 340 -1806TT	 340 -2406TT
900 (890)	 340 -0609T	 340 -0909T	 340 -1209T	 340 -1509T	 340 -1809TT	 340 -2409TT
1 200 (1 190)	 340 -0612T	 340 -0912T	 340 -1212DT	 340 -1512DT	 340 -1812DT	 340 -2412DT
1 500 (1 490)	 340 -0615DT	 340 -0915DT	 340 -1215DT	 340 -1515DT	 340 -1815DT	 340 -2415DT
1 800 (1 790)	 340 -0618DT	 340 -0918DT	 340 -1218DT	 340 -1518DT	 340 -1818DT	


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 1 200 Max
HEIGHT: 900 Max

Revision : 01/03/2007

Casement 340 Windows Standard Side Hung (600 Pa Windload)



- NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

600
(590)

900
(890)


1 200
(1 190)

1 500
(1 490)


1 800
(1 790)

2 400
(2 390)


600
(590)




340 -0609S




340 -0909S



340 -1209S



340 -1509S




340 -1809SS




340 -2409SS


900
(890)




340 -0612S




340 -0912S




340 -1212S



340 -1512S




340 -1812SS




340 -2412SS


1 200
(1 190)




340 -0615S




340 -0915S




340 -1215S



340 -1515S




340 -1815SS




340 -2415SS


1 500
(1 490)




340 -0618S




340 -0918S




340 -1218S



340 -1518S




340 -1818SS




340 -2418SS

1 800
(1 790)


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 700 Max
HEIGHT: 1 500 Max

Revision : 01/03/2007

Casement 340 Windows Standard Side Hung (1 000 Pa Windload)



NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

600
(590)

900
(890)


1 200
(1 190)

1 500
(1 490)


1 800
(1 790)

2 400
(2 390)


600
(590)




340 -0609S




340 -0909S



340 -1209S



340 -1509S




340 -1809SS




340 -2409SS


900
(890)




340 -0612S




340 -0912S




340 -1212S



340 -1512S




340 -1812SS




340 -2412SS


1 200
(1 190)




340 -0615S




340 -0915S




340 -1215S



340 -1515S




340 -1815SS




340 -2415SS


1 500
(1 490)




340 -0618S




340 -0918S




340 -1218S



340 -1518S




340 -1818SS




340 -2418SS

1 800
(1 790)


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 700 Max
HEIGHT: 1 500 Max

Revision : 01/03/2007

Casement 340 Windows Standard Side Hung (1 500 Pa Windload)



- NOTE: 1. See the mullion limitation chart.
2. Opening sizes shown in red.
3. Actual window sizes shown in black and brackets.

600
(590)

900
(890)





1 200
(1 190)

1 500
(1 490)







1 800
(1 790)

2 400
(2 390)







600
(590)









900
(890)



1 200
(1 190)




1 500
(1 490)




1 800
(1 790)


Standard Mullion
Code: W10197
Inertia Ix: 4.1



54 mm Mullion
Code: W55193
Inertia Ix: 12.42



70 mm Mullion
Code: W55194
Inertia Ix: 25.05



SASH LIMITATIONS: WIDTH: 700 Max
HEIGHT: 1 500 Max

Revision : 01/03/2007